

Angles, unequal legs



- 31 -

Hot rolled, tolerances comparable to DIN 1029
 Length = approx. 6 m
 Test certificate EN 10204/3.1

Dimensions		kg/mtr.	Mat. no. 1.4301	Mat. no. 1.4571
20 x	10 x 3	0.650		
25 x	15 x 3	0.890		
30 x	15 x 3	1.010		
	20 x 3	1.130		
	20 x 4	1.470	x	x
40 x	20 x 3	1.370	x	x
	20 x 4	1.790	x	x
	30 x 5	2.600	x	
45 x	30 x 4	2.270	x	
	30 x 5	2.790	x	
50 x	30 x 4	2.430	x	x
	30 x 5	2.980	x	x
	40 x 5	3.400	x	
60 x	30 x 5	3.400	x	x
	40 x 5	3.800	x	x
	40 x 6	4.510	x	x
65 x	50 x 5	4.400		x
	50 x 7	6.050		
70 x	50 x 6	5.470		x
	50 x 7	6.610		x
75 x	55 x 7	6.890		x
80 x	40 x 6	5.470	x	
	40 x 8	7.170	x	x
	65 x 6	6.670	x	
	65 x 8	8.770	x	
90 x	60 x 6	6.910		x
	60 x 8	9.090		
100 x	50 x 6	6.910	x	
	50 x 8	9.090	x	
	50 x 10	11.200	x	
	65 x 7	8.850	x	
	65 x 8	10.050	x	
	65 x 9	11.090	x	
	75 x 9	11.950		

Other grades and dimensions available from factory inventory!
 Processing: aesthetic finish on all sides up to 600 grit

Angles, unequal legs



Hot rolled, tolerances comparable to DIN 1029
Length = approx. 6 m
Test certificate EN 10204/3.1

Dimensions		kg/mtr.	Mat. no. 1.4301	Mat. no. 1.4571
120 x	80 x 8	12.000		x
	80 x 10	14.900	x	
130 x	65 x 8	11.900	x	
150 x	75 x 10	16.800	x	



Other grades and dimensions available from factory inventory!
Processing: aesthetic finish on all sides up to 600 grit

Notes

