

# Hollow tube, hot worked



- 44 -

Round inside and out, hot worked, heat-treated, pickled  
 DIN 17440/8/II/III or 17456/17458.1  
 Tol.: exterior diameter + / interior diameter -,  
 Length = 2-7 m

Dimensions		Thickness	Weight -0/+20% kg/mtr.	Mat. no. 1.4301	Mat. no. 1.4571
32 x	16 x	8.00	4.700		x
	20 x	6.00	3.800		
36 x	16 x	10.00	6.400		
	20 x	8.00	5.500		
	25 x	5.50	4.100		
40 x	20 x	10.00	7.400		x
	25 x	7.50	6.000		
	28 x	6.00	5.000		
45 x	20 x	12.50	10.000		x
	28 x	8.50	7.600		x
	32 x	6.50	6.200	x	
50 x	25 x	12.50	11.600		
	32 x	9.00	9.100		
	36 x	7.00	7.400		
56 x	28 x	14.00	14.500		
	36 x	10.00	11.300		
	40 x	8.00	9.500	x	
60 x	40 x	10.00	12.300		
	44 x	8.00	10.400		
63 x	32 x	15.50	18.100		
	36 x	13.50	16.500		
	40 x	11.50	14.600		
	45 x	9.00	12.000		
	50 x	6.50	9.100	x	
70 x	50 x	10.00	15.020		
71 x	36 x	17.50	23.100		
	40 x	15.50	21.200	x	
	45 x	13.00	18.600		x
	56 x	7.50	11.700		
75 x	40 x	17.50	24.800		
76 x	58 x	9.00	15.090		
80 x	40 x	20.00	29.600	x	
	45 x	17.50	27.000		
	50 x	15.00	24.000	x	

Other grades and dimensions available from factory inventory!

# Hollow tube, hot worked



- 45 -

Round inside and out, hot worked, heat-treated, pickled  
 DIN 17440/8/II/III or 17456/17458.1  
 Tol.: exterior diameter + / interior diameter -,  
 Length = 2-7 m

Dimensions		Thickness	Weight -0/+20% kg/mtr.	Mat. no. 1.4301	Mat. no. 1.4571
80 x	63 x	8.50	15.000	x	
85 x	45 x	20.00	32.000	x	
90 x	50 x	20.00	34.500	x	
	56 x	17.00	30.600	x	
	63 x	13.50	25.500		x
	71 x	9.50	18.800	x	
95 x	50 x	22.50	40.900		
100 x	56 x	22.00	42.300		
	63 x	18.50	37.200		
	71 x	14.50	30.600		
	80 x	10.00	22.200	x	
106 x	56 x	25.00	49.900		
	63 x	21.50	44.800		
	71 x	17.50	38.200		
	80 x	13.00	29.800	x	
112 x	63 x	24.50	52.800		
	71 x	20.50	46.200		
	80 x	16.00	37.800	x	
	90 x	11.00	27.400	x	
118 x	63 x	27.50	61.300		
	71 x	23.50	54.700		
	80 x	19.00	46.300		
	90 x	14.00	35.900	x	
125 x	71 x	27.00	65.200		
	80 x	22.50	56.800	x	
	90 x	17.50	46.400	x	
	100 x	12.50	34.600		
132 x	71 x	30.50	76.300		
	80 x	26.00	67.900		
	90 x	21.00	54.400		
	106 x	13.00	38.100		
140 x	80 x	30.00	81.300	x	
	90 x	25.00	70.800		
	100 x	20.00	59.100		

Other grades and dimensions available from factory inventory!

# Hollow tube, hot worked



- 46 -

Round inside and out, hot worked, heat-treated, pickled  
 DIN 17440/8/II/III or 17456/17458.1  
 Tol.: exterior diameter + / interior diameter -,  
 Length = 2-7 m

Dimensions		Thickness	Weight -0/+20% kg/mtr.	Mat. no. 1.4301	Mat. no. 1.4571
140 x	112 x	14.00	43.500	x	
150 x	80 x	35.00	99.200		
	95 x	27.50	84.350		
	106 x	22.00	69.400		
160 x	125 x	12.50	42.300	x	
	112 x	24.00	80.400		
	122 x	19.00	67.100		
170 x	132 x	14.00	50.500	x	
	106 x	32.00	110.600		
	118 x	26.00	92.200	x	
180 x	130 x	20.00	73.900	x	
	140 x	15.00	57.300	x	
	125 x	27.50	103.300		
190 x	130 x	25.00	97.030		
	150 x	15.00	61.000	x	
	132 x	29.00	115.000		
200 x	150 x	20.00	83.800		
	160 x	15.00	64.700		
	140 x	30.00	127.700		
212 x	150 x	25.00	109.600		
	160 x	20.00	90.200		x
	130 x	41.00	175.600		
224 x	170 x	21.00	100.500		
	140 x	42.00	191.400		
	170 x	27.00	133.610	x	
236 x	180 x	22.00	111.300		
	150 x	43.00	207.800		
	190 x	23.00	122.700		
250 x	200 x	25.00	140.900	x	

Other grades and dimensions available from factory inventory!

# Notes

